

# ANTHONY LIFTGATES, INC.®

## Liftgate Product Guide



# Liftgate Specifier

---

*Selecting the proper Anthony liftgate for your operation is crucial for both peak performance and long life. This section is designed to serve as a general guide to help you in this selection. Getting the right model is easy with the help of your local Anthony dealer. Our dealers are known for their industry-leading service to help you with all of your sales, service, or parts needs. Of course, you can always phone Anthony Liftgates Factory Customer Support at 1-800-482-0003.*



## Pick-Up & Service Truck Models

---

Pickup truck models are typically mounted on pickup trucks. The same design is often modified (made wider with higher truck floor ability) to be used on high cube vans, stake beds and utility bodies. The platforms fold up vertically in the stored position as a tailgate. These liftgates are basically a 'level ride' design like RailTrac models but move in an arching movement as do Tuckunders and Conventionals. They are normally mounted to the truck vertical posts and the truck bed rear edge. On stake truck beds, a gusset is often used and attached to the truck floor sides to create a corner post reinforcement for the liftgate.

## Tuckunder™ Models

---

Tuckunder model liftgates mount to the chassis frame of a truck or trailer and tuck and store underneath the rear of the truck or trailer. In the stored or tucked position, they provide unobstructed access to the truck or trailer doorway. Tuckunder models are typically a 'ramp ride' design but may be specified as a 'level ride' for certain models and applications. Ramp ride means that the platform is basically level at the truck floor position and it then ramps down gradually as it approaches and then touches the ground. The ramp edge is therefore touching the ground at that point.

## RailTrac® Models

---

RailTrac models mount to the rear frame of a truck or trailer. They typically store in a vertical position covering a portion of the rear doorway and can usually be lowered in a vertical position to the ground to allow access to the doorway. Depending upon the platform size and/or the truck bed height, the platform may not lower fully to allow complete access to the doorway. In this case, often times a RailTuck model or a 'bed height stored' platform may be considered which, when configured correctly, can allow for complete unobstructed rear doorway access. RailTrac models have basically what is called a 'level ride' platform which means that the platform moves vertically in a level position with the rear of the truck bed. The platform typically will lay flat on the ground for loading. If the truck is not on level ground, obviously the platform will be unlevel to that same degree.

## Conventional Models

---

This is the first type of liftgate design invented by the Anthony Company in 1941. These liftgates mount to the chassis frame of a truck or trailer (usually a straight truck) and store in a position against the rear doorway. They are often used on stake bed trucks to provide a lifting device and a tailgate at the same time. The platforms are generally of the "ramp ride" design. Custom platforms are available upon request. Contact the factory for more details.

# LoadBlazer™ Series

## Pick-Up Truck & Utility Body Series

Model Number	Capacity (Lbs)	Bed Height	Platform Load Area & Ramp	Shipping Weight
<b>ALB-SF Models</b>				
ALB-1500-SF Steel Platform	1,500	Up to 46"	50" x 41" + 6"	450#
ALB-1500-A-SF Aluminum Platform	1,500	Up to 46"	50" x 41" + 6"	423#
ALB-1500-SF-WB Hot Dipped Galvanized and Aluminum Platform	1,500	Up to 46"	50" x 41" + 6"	431#

# Van and Stake Body Series

Model Number	Capacity (Lbs)	Bed Height	Platform Load Area & Ramp	Shipping Weight
<b>Model LA-86</b>				
LA-86	2,000	Up to 54"	85" x 41" + 6"	650#
LA-86-WB	2,000	Up to 54"	85" x 41" + 6"	664#

LoadBlazer Weatherbeater package



*Since 1941  
Quality*

*Reliability*



# Tuckunder™ Series

Model Number	Capacity (Lbs)	Bed Height	Platform Size	Shipping Weight
<b>ATU-GLR Models with Gentle Level Ride Platform</b>				
ATU-GLR-25-SF	2,500	42" - 55"	80" x 50" Wedge	1124#

<b>AXM Models</b>				
AXM-1500-SF	1,500	36" - 56"	80" x 44" Wedge	826#
AXM-2000-SF	2,000	36" - 56"	80" x 44" Wedge	834#
AXM-2500-SF	2,500	36" - 56"	80" x 44" Wedge	874#

<b>AST Model</b>				
AST-1500-SF	1,500	42" - 57"	80" x 38" + 5"	838#
AST-2000-SF	2,000	42" - 57"	80" x 38" + 5"	855#
AST-2500-SF	2,500	42" - 57"	80" x 38" + 5"	889#
AST-3000-SF	3,000	42" - 57"	80" x 38" + 5"	934#
ASTL-1800-SF	1,800	36" - 44"	80" x 44" Wedge	770#
ASTL-2500-SF	2,500	36" - 44"	80" x 44" Wedge	802#

<b>AST-Plus Models</b>				
AST-Plus-2500-SF	2,500	38" - 56"	80" x 50" Wedge	919#

<b>ATU Models</b>				
ATU-1800-SF	1,800	42" - 57"	80" x 45" + 6"	953#
ATU-2500-SF	2,500	42" - 57"	80" x 45" + 6"	1,025#
ATU-3000-SF	3,000	42" - 57"	80" x 45" + 6"	1,070#
ATU-3500-SF	3,500	42" - 57"	80" x 45" + 6"	1,073#
ATU-1800LB-SF	1,800	36" - 44"	80" x 44" Wedge	900#
ATU-2500LB-SF	2,500	36" - 44"	80" x 44" Wedge	946#

<b>Aluminum Models</b>				
ATU-1800A-SF	1,800	45" - 57"	80" x 45" + 6"	766#
ATU-2500A-SF	2,500	45" - 57"	80" x 45" + 6"	791#
ATU-3000A-SF	3,000	45" - 57"	80" x 45" + 6"	816#

<b>Magnum Models</b>				
MTU-GLR-3	3,000	47" - 57"	80" x 60" Full Taper	1,619#
MTU-GLR-4	4,000	47" - 57"	80" x 60" Full Taper	1,630#
MTU-GLR-3A	3,000	47" - 57"	80" x 60" Full Taper	1,439#
MTU-GLR-4A	4,000	47" - 57"	80" x 60" Full Taper	1,450#

*Reliability*





# Medium RailTrac®

# Power Close RailTrac®

Model Number	Capacity (Lbs)	Bed Height	Platform Load Area & Ramp	Shipping Weight
<b>Standard Bed Height Models</b>				
AR-1200-90	1,200	28" – 58"	86" x 36" + 6"	731#
AR-1200-94	1,200	28" – 58"	90" x 36" + 6"	772#
AR-1800-90	1,800	28" – 58"	86" x 36" + 6"	748#
AR-1800-94	1,800	28" – 58"	90" x 36" + 6"	771#
AR-1800-90-RT	1,800	44" – 58"	86" X 42" + 6"	812#
AR-1800-94-RT	1,800	44" – 58"	90" X 42" + 6"	835#
AR-2500-90	2,500	28" – 58"	86" X 42" + 6"	779#
AR-2500-90-RT	2,500	44" – 58"	86" X 42" + 6"	843#
AR-2500-94	2,500	28" – 58"	90" X 42" + 6"	803#
AR-2500-94-RT	2,500	44" – 58"	90" X 42" + 6"	884#

Model Number	Capacity (Lbs)	Bed Height	Platform Load Area & Ramp (Fixed 12" Ramp)	Shipping Weight
<b>Aluminum Platform Models</b>				
PCR-1800-94A	1,800	30" – 58"	90" x 55" + 12"	1003#
PCR-1800-94A	1,800	30" – 58"	90" x 60" + 12"	1022#
PCR-1800-94A-AB	1,800	30" – 58"	90" x 55" + 12"	1039#
PCR-1800-94A-AB	1,800	30" – 58"	90" x 60" + 12"	1057#
PCR-2500-94A	2,500	30" – 58"	90" x 55" + 12"	1046#
PCR-2500-94A	2,500	30" – 58"	90" x 60" + 12"	1065#
PCR-2500-94A-AB	2,500	30" – 58"	90" x 55" + 12"	1082#
PCR-2500-94A-AB	2,500	30" – 58"	90" x 60" + 12"	1101#

<b>Aluminum Platform Models</b>				
AR-1200-90	1,200	28" – 58"	86" X 33" + 6"	582#
AR-1200-90	1,200	28" – 58"	86" X 39" + 6"	600#
AR-1200-90	1,200	28" – 58"	86" X 44" + 6"	618#
AR-1200-90	1,200	28" – 58"	86" X 50" + 6"	636#
AR-1200-90	1,200	28" – 58"	86" X 55" + 6"	654#
AR-1200-90	1,200	28" – 58"	86" X 60" + 6"	672#
AR-1200-94	1,200	28" – 58"	90" X 33" + 6"	615#
AR-1200-94	1,200	28" – 58"	90" X 39" + 6"	634#
AR-1200-94	1,200	28" – 58"	90" X 44" + 6"	653#
AR-1200-94	1,200	28" – 58"	90" X 50" + 6"	672#
AR-1200-94	1,200	28" – 58"	90" X 55" + 6"	691#
AR-1200-94	1,200	28" – 58"	90" X 60" + 6"	709#
AR-1800-90	1,800	28" – 58"	86" X 33" + 6"	599#
AR-1800-90	1,800	28" – 58"	86" X 39" + 6"	617#
AR-1800-90	1,800	28" – 58"	86" X 44" + 6"	635#
AR-1800-90	1,800	28" – 58"	86" X 50" + 6"	653#
AR-1800-90	1,800	28" – 58"	86" X 55" + 6"	671#
AR-1800-90	1,800	28" – 58"	86" X 60" + 6"	689#
AR-1800-94	1,800	28" – 58"	90" X 33" + 6"	614#
AR-1800-94	1,800	28" – 58"	90" X 39" + 6"	633#
AR-1800-94	1,800	28" – 58"	90" X 44" + 6"	652#
AR-1800-94	1,800	28" – 58"	90" X 50" + 6"	671#
AR-1800-94	1,800	28" – 58"	90" X 55" + 6"	609#
AR-1800-94	1,800	28" – 58"	90" X 60" + 6"	627#
AR-2500-90	2,500	28" – 58"	86" X 33" + 6"	609#
AR-2500-90	2,500	28" – 58"	86" X 39" + 6"	627#
AR-2500-90	2,500	28" – 58"	86" X 44" + 6"	645#
AR-2500-90	2,500	28" – 58"	86" X 50" + 6"	663#
AR-2500-90	2,500	28" – 58"	86" X 55" + 6"	681#
AR-2500-90	2,500	28" – 58"	86" X 60" + 6"	699#
AR-2500-94	2,500	28" – 58"	90" X 33" + 6"	624#
AR-2500-94	2,500	28" – 58"	90" X 39" + 6"	643#
AR-2500-94	2,500	28" – 58"	90" X 44" + 6"	662#
AR-2500-94	2,500	28" – 58"	90" X 50" + 6"	671#
AR-2500-94	2,500	28" – 58"	90" X 55" + 6"	700#
AR-2500-94	2,500	28" – 58"	90" X 60" + 6"	718#

<b>Steel Platform Models</b>				
PCR-1800-94	1,800	30" – 58"	90" x 36" + 6"	1085#
PCR-1800-94-AB	1,800	30" – 58"	90" x 36" + 6"	1121#
PCR-2500-94	2,500	30" – 58"	90" x 42" + 6"	1153#
PCR-2500-94-AB	2,500	30" – 58"	90" x 42" + 6"	1082#
<b>High Cycle Steel Platform Model</b>				
PCR-3000-94-HC	3,000	30" – 58"	90" x 42" + 6"	1203#

<b>High Cycle Models</b>				
HCR-3000-90	3,000	28" – 58"	86" X 42" + 6"	805#
HCR-3000-94	3,000	28" – 58"	90" X 42" + 6"	829#

*Customer Service*  
*Customer Service*



# Magnum RailTrac®

# Special Application

Model Number	Capacity (Lbs)	Bed Height	Platform Load Area & Ramp	Shipping Weight
<b>Direct Cylinder Liftgate Models</b>				
MRT-3500-SF	3,500	38" – 58"	80" X 60" + 12" ramp & pop-up cart stop	1719#
MRT-3500-SF	3,500	38" – 58"	80" X 72" + 12" ramp & pop-up cart stop	1794#
MRT-3500-SF	3,500	38" – 58"	80" X 84" + 16" aluminum retention ramp	1906#
MRT-4500-SF	4,500	38" – 58"	80" X 60" + 12" ramp & pop-up cart stop	1721#
MRT-4500-SF	4,500	38" – 58"	80" X 72" + 12" ramp & pop-up cart stop	1797#
MRT-4500-SF	4,500	38" – 58"	80" X 84" + 16" aluminum retention ramp	1912#
MRT-5500-SF	5,500	38" – 58"	80" X 60" + 12" ramp & pop-up cart stop	1726#
MRT-5500-SF	5,500	38" – 58"	80" X 72" + 12" ramp & pop-up cart stop	1819#
MRT-5500-SF	5,500	38" – 58"	80" X 84" + 16" aluminum retention ramp	1931#
MRT6500-SF	6,500	38" – 58"	80" X 60" + 12" ramp & pop-up cart stop	1733#
MRT-6500-SF	6,500	38" – 58"	80" X 72" + 12" ramp & pop-up cart stop	1826#
MRT-6500-SF	6,500	38" – 58"	80" X 84" + 16" aluminum retention ramp	1938#

<b>Direct Cylinder Liftgate "Bed Height" Models</b>				
MRT-3500-BH-SF	3,500	48" – 58"	80" X 60" (30" + 30") + 16" aluminum retention ramp	2250#
MRT-3500-BH-SF	3,500	54" – 58"	80" X 72" (36" + 36") + 16" aluminum retention ramp	2311#
MRT-4500-BH-SF	4,500	48" – 58"	80" X 60" (30" + 30") + 16" aluminum retention ramp	2310#
MRT-4500-BH-SF	4,500	54" – 58"	80" X 72" (36" + 36") + 16" aluminum retention ramp	2350#
MRT-5500-BH-SF	5,500	48" – 58"	80" X 60" (30" + 30") + 16" aluminum retention ramp	2361#
MRT-5500-BH-SF	5,500	54" – 58"	80" X 72" (36" + 36") + 16" aluminum retention ramp	2401#
MRT-6500-BH-SF	6,500	48" – 58"	80" X 60" (30" + 30") + 16" aluminum retention ramp	2402#
MRT-6500-BH-SF	6,500	54" – 58"	80" X 72" (36" + 36") + 16" aluminum retention ramp	2442#



Model Number	Capacity (Lbs)	Bed Height	Platform Load Area & Ramp	Shipping Weight
<b>Side Mount Models</b>				
SM-1800-SF	1,800	42" – 57"	48" X 34" + 7"	720#
SM-1800-SF	1,800	42" – 57"	72" X 38" + 5"	902#
SM-2500-SF	2,500	42" – 57"	48" X 34" + 7"	732#
SM-2500-SF	2,500	42" – 57"	72" X 38" + 5"	920#
SM-3000-SF	3,000	42" – 57"	48" X 34" + 7"	746#
SM-3000-SF	3,000	42" – 57"	72" X 38" + 5"	934#

<b>Conventional Models</b>				
AC-1600-SF	1,600	36" – 57"	72" X 36" + 6"	776#
AC-1600-SF	1,600	36" – 57"	84" X 36" + 6"	792#
AC-1600-SF	1,600	36" – 57"	90" X 36" + 6"	808#
AC-2000-SF	2,000	36" – 57"	72" X 36" + 6"	786#
AC-2000-SF	2,000	36" – 57"	84" X 36" + 6"	802#
AC-2000-SF	2,000	36" – 57"	90" X 36" + 6"	818#
AC-2500-SF	2,500	36" – 57"	72" X 36" + 6"	798#
AC-2500-SF	2,500	36" – 57"	84" X 36" + 6"	814#
AC-2500-SF	2,500	36" – 57"	90" X 36" + 6"	830#

<b>Dump Through Models</b>				
AR-1200-90-DT	1,200	36" – 58"	86" X 36" + 6"	802#
AR-1200-94-DT	1,200	36" – 58"	90" X 36" + 6"	814#
AR-1800-90-DT	1,800	36" – 58"	86" X 36" + 6"	822#
AR-1800-94-DT	1,800	36" – 58"	90" X 36" + 6"	834#

<b>PCR Gas Bottle Models</b>				
PCR-2500-94-GB	2,500	28" – 58"	90" X 30" + 20" flip ramp, Bar Grating	1068#
PCR-2500-94-GB-AB	2,500	28" – 58"	90" X 30" + 20" flip ramp, Bar Grating	1078#

<b>MRT Gas Bottle Models</b>				
MRT-3500-GB-SF	3,500	38" – 58"	80" X 39" + 16" flip ramp	1893#
MRT-4500-GB-SF	4,500	38" – 58"	80" X 39" + 16" flip ramp	1951#



# Quality, Reliability, And Customer Service

Anthony Liftgates Inc. offers a complete range of durable liftgates designed to handle your material handling applications. We know you demand uncompromising quality from your delivery vehicles that maximize uptime and get the job done efficiently. We've been perfecting our products since 1941, so you can depend on our rugged liftgates day after day to provide all the benefits you've come to expect from Anthony.

Anthony Liftgates maintains one of the most extensive dealer networks in the industry. Our products can be ordered and serviced at leading truck equipment distributors throughout the United States and Canada. Our dealers will provide complete, up-to-date information about Anthony Liftgate products and will help you select the right liftgate for your special needs. To locate an Anthony Dealership nearest to you, please go to our website [www.anthonyliftgates.com](http://www.anthonyliftgates.com) and click on the DEALER LOCATOR button.

In addition, Anthony maintains a staff of highly trained factory customer service personnel that are always ready to help. They're available by phone at 1-800-482-0003, or you can reach them from the CONTACT US page on our website.

## Genuine OEM Parts

You can count on your local Anthony dealer to provide genuine OEM parts solutions to help keep your costs down and your Anthony liftgate running at peak productivity. All Anthony Liftgates OEM replacement parts come with a one year, unlimited hours warranty, excluding electrical components, so when you need parts for your Anthony liftgate, don't settle for anything other than genuine Anthony parts.



Anthony Liftgates, Inc. • 1037 W. Howard St. • Pontiac, IL 61764  
PH: 1-800-482-0003 FX: 1-815-844-3612  
Email: [sales@anthonyliftgates.com](mailto:sales@anthonyliftgates.com) [www.anthonyliftgates.com](http://www.anthonyliftgates.com)